

# DEWALT®



**20V**<sup>MAX</sup>  
LITHIUM ION

**60V**<sup>MAX</sup>  
LITHIUM ION

**OUTDOOR POWER EQUIPMENT**

# DEWALT

# FLEXVOLT

**WORLD'S FIRST**  
BATTERY PACK THAT AUTOMATICALLY  
CHANGES VOLTAGE WHEN YOU CHANGE TOOLS



**60V<sup>MAX</sup>**  
LITHIUM ION  
**POWER  
without GAS**

**20V<sup>MAX</sup>**  
LITHIUM ION

**OUTDOOR EQUIPMENT  
TO POWER TOOLS  
AND BACK**



\*With respect to 20V MAX\* - maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18. Maximum initial battery voltage (measured without a workload) is 60 volts. Nominal voltage is 54.

Copyright ©2018 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

**DEWALT**

**FLEXVOLT**



**60V<sup>MAX\*</sup>**  
LITHIUM ION

**POWER**  
without GAS\*\*

\*\* In use.

**15"** CUTTING  
SWATH  
WITH 0.080" LINE  
(ALSO ACCEPTS 0.095")

**FLEXVOLT® 60V MAX\* BRUSHLESS STRING TRIMMER**

**DCST970X1**

- Gear drive design powers through tough overgrowth
- 15" cutting swath with 0.080" line (also accepts 0.095")
- High-efficiency brushless motor maximizes run time and motor life
- Variable speed trigger with Hi/Lo speed control
- Lightweight and ergonomic design



9.0 AH BATTERY

**SPECIFICATIONS**

SPECIFICATIONS	
Voltage	60V MAX*
Runtime (Minutes at Max Trigger Pull)	30 Minutes
Cutting Swath	15"
RPM	0 - 5,600 low 0 - 6,600 high
Line Diameter	.080" / .095"
Weight with Battery	12.0 lbs

**DEWALT**

**FLEXVOLT**



**60V<sup>MAX</sup>**  
LITHIUM ION

**POWER**  
without GAS™

**POWERS THROUGH DEBRIS**  
AT UP TO

**423 CFM**  
OF AIR VOLUME AT 129 MPH

**FLEXVOLT® 60V MAX\* BRUSHLESS HANDHELD BLOWER**

**DCBL770X1**

- Powers through debris at up to 423 CFM of air volume at 129 MPH
- Flat concentrator nozzle increases air speeds to 175 MPH for stubborn debris
- High-efficiency brushless motor maximizes run time and motor life
- Variable speed trigger and speed lock for total power control
- Lightweight and ergonomic design



**9.0 AH BATTERY**



**SPECIFICATIONS**

	<b>SPECIFICATIONS</b>
<b>Voltage</b>	60V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	15 Minutes
<b>Air Volume</b>	Up to 423 CFM
<b>Air Speed</b>	Up to 129 MPH (up to 175 MPH with flat concentrator nozzle)
<b>Noise Rating</b>	67 dB(A)
<b>Weight with Battery</b>	9.8 lbs



**60V<sup>MAX</sup>**  
LITHIUM ION

**POWER**  
without GAS™

UP TO  
**70 CUTS**  
PER CHARGE

\*ON A 6" X 6" PRESSURE TREATED PINE WOOD

## FLEXVOLT® 60V MAX\* BRUSHLESS CHAINSAW

DCCS670X1

- Low Kick Back 16" Oregon Bar and Chain for construction and outdoor cutting applications
- Tool-Free chain tensioning and bar tightening knob for proper bar clamping force
- Auto-Oiling for continuous lubrication  
Quarter-turn oil cap for quick oil refills
- Chain brake for kick back protection
- Lightweight and ergonomic design



9.0 AH BATTERY



### SPECIFICATIONS

<b>Voltage</b>	60V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	Up to 70 cuts (6"x6" pressure-treated pine wood)
<b>Cutting Capacity</b>	16"
<b>RPM</b>	7500 RPM
<b>Chain Pitch</b>	3/8"
<b>Chain Gauge</b>	0.043"
<b>Weight with Battery</b>	12.2 lbs

PART OF



**100+**  
PRODUCTS

**OUR  
FASTEST GROWING  
SYSTEM**



OUTDOOR TOOL ACCESSORIES

**REPLACEMENT CHAIN**



60V MAX\* CHAINSAW ONLY

DW01DT616

Chain Length	16"
Chain Pitch	3/8"
Drive Links	56
Water Resistance	Yes
File Size	5/32"
Includes	1 Chain Loop, Instructions

**CHARGER**



DCB115

Voltage	20V MAX*
Charge Rate	3 Amps

**REPLACEMENT STRING**



60V MAX\* STRING TRIMMER ONLY

DW01DT801

DW01DT802

DW01DT915

Line Length	50ft	225ft	144ft
Line Diameter	0.080"	0.080"	0.095"
Material	Combination of flexible and impact-resistant nylon		

**BATTERIES**



DCB205

DCB609

Amp-Hours	5Ah	9Ah
Voltage	20V MAX*	20/60V MAX*
Watt Hours	100 Watt Hours	180 Watt Hours

**REPLACEMENT HEAD**

DW01DT980





UP TO  
**75 MINS**  
**RUNTIME**  
MINUTES AT MAX TRIGGER PULL

**20V MAX\* HEDGE TRIMMER**

**DCHT820P1**

- Powerful high output motor for cuts up to 3/4" thick
- 22" laser cut, hooked-tooth blade design
- 5 Ah high capacity Lithium ion battery
- Lightweight and ergonomic design



SPECIFICATIONS	
<b>Voltage</b>	20V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	75 Minutes
<b>Cutting Capacity</b>	3/4"
<b>Blade Length</b>	22"
<b>Strokes Per Minute</b>	2800 SPM
<b>Weight with Battery</b>	7.5 lbs




UP TO  
**30 MINS**  
RUNTIME

MINUTES AT MAX TRIGGER PULL

## 20V MAX\* XR® BRUSHLESS STRING TRIMMER

DCST920P1

- 13" cut swath
- 5 Ah high capacity Lithium ion battery
- Lightweight and compact design
- Dual 0.080" line with bump feed
- Variable trigger with speed control



SPECIFICATIONS	
<b>Voltage</b>	20V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	30 Minutes
<b>Cut Swath</b>	13"
<b>RPM</b>	0-4,600 low 0-6,000 high
<b>Line Diameter</b>	.080"
<b>Weight with Battery</b>	8.4 lbs



UP TO

# 90 CUTS PER CHARGE

4"X4" PRESSURE-TREATED PINE WOOD

## 20V MAX\* XR® BRUSHLESS CHAINSAW

DCCS620P1

- Low Kick Back 16" Oregon Bar and Chain for construction and outdoor cutting applications
- Up to 90 cuts per charge on 4x4 pressure treated wood
- High-efficiency brushless motor maximizing run time and motor life
- Tool-free chain tensioning and bar tightening knob for proper bar clamping force
- Lightweight and ergonomic design
- Chain brake for kick back protection

5.0 AH BATTERY



### SPECIFICATIONS

<b>Voltage</b>	20V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	90 cuts per charge (4"x4" pressure-treated pine wood)
<b>Cutting Capacity</b>	12"
<b>RPM</b>	4200 RPM
<b>Chain Pitch</b>	3/8"
<b>Chain Gauge</b>	0.043"
<b>Weight with Battery</b>	9 lbs



UP TO  
**18 MINS**  
RUNTIME  
MINUTES AT MAX TRIGGER PULL

**20V MAX\* XR® BRUSHLESS HANDHELD BLOWER**

**DCBL720P1**

- Up to 400 CFM and 90 MPH performance
- High capacity 5 Ah Lithium ion battery
- Compact and lightweight design
- Variable trigger with speed lock
- Designed to withstand everyday heavy-duty usage



SPECIFICATIONS	
<b>Voltage</b>	20V MAX*
<b>Runtime</b> (Minutes at Max Trigger Pull)	18 Minutes
<b>Air Volume</b>	Up to 400 CFM
<b>Air Speed</b>	Up to 90 MPH
<b>Noise Rating</b>	61 dB(A)
<b>Weight with Battery</b>	7.1 lbs



**2x20V<sup>MAX\*</sup>**

**WORKING SIMULTANEOUSLY  
FOR HIGH VOLTAGE OUTPUT**

**20" 3-IN-1 XR<sup>®</sup> BRUSHLESS MOWER**

**DCMW220P2**

- Powerful brushless motor and (2) 20V MAX\* batteries working simultaneously for high voltage output
- 3 in 1: mulching, bagging and rear discharging
- 20" metal deck
- Single lever height adjust ranging from 1.5" – 3.4"
- Folding handle and lift handles for easy transport and compact storage



SPECIFICATIONS	
<b>Voltage</b>	2 X 20V MAX*
<b>Deck Size</b>	20"
<b>Cutting Heights</b>	1.5" - 3.4"
<b>Bag Assembly</b>	Included
<b>Bag Capacity</b>	13.2 gal
<b>Weight without Battery</b>	56.7 lbs

# DEWALT®



**1-800-4-DEWALT**  
**WWW.DEWALT.COM**

**TOOL WARRANTY**

<b>3</b> YEAR	<b>1</b> YEAR	<b>90</b> DAY
LIMITED WARRANTY	FREE SERVICE	MONEY BACK GUARANTEE

**BATTERY WARRANTY**

<b>3</b> YEAR	<b>3</b> YEAR
LIMITED WARRANTY	FREE SERVICE